



# Specification

Lithium Polymer Battery Pack LP251328 65mAh 3.7V without Protection Circuit Module (PCM)  
 This data sheet describes the requirements and properties of lithium polymer rechargeable battery pack manufactured by LiPol Battery Co., Ltd - China

## Mechanical Characteristics

- Cell ▶ LP251328
- PCM ▶ No
- NTC ▶ No
- Configuration ▶ 1S1P
- Weight ▶ appr. 1.3g

## Electrical Specification

- Rated Capacity ▶ 65mAh min, 95mAh typ.
- Nominal Voltage ▶ 3.7V
- Wat-Hour Rating ▶ 0.24Wh
- Max. Operating Voltage Range ▶ 2.75V to 4.20V
- Max. Charge Voltage ▶ 4.2V ±50mV
- Max. Charge Current ▶ 32.5mA
- Max. Continuous Discharge Current ▶ 65mA
- Discharge Cut Off ▶ 2.75V
- Internal Impedance ▶ <200mΩ
- Expected Cycle Life @ (0.5C/0.5C) @ 23±5°C ▶ 500 cycles ≥ 80%

## Cell Protection

- Overcharge Detection ▶ 4.275 ±50mV (0.7 to 1.3sec. delay, release 4.275V ±50mV)
- Overdischarge Detection ▶ 2.75V ±50mV (14 to 26msec. delay, resume 2.50V ±50mV)
- Overcurrent Detection ▶ 2A to 4.5A (8 to 16msec. delay)

## Ambient Conditions

- Charge Temp. Range ▶ 0 to +45°C
- Discharge Temp. Range ▶ -20 to +60°C
- Storage Temp. Range ▶ 1 year at -20 to +30°C >70%
- ▶ 3 months at -20 to +45°C >70%
- ▶ 1 month at -20 to +60°C >70%
- Humidity ▶ 65 ±20%RH

## Environmental and Safety

Please follow LiPol Handling and Safety Precautions for Lithium Polymer Battery.  
 This battery meets the requirements of Battery Directives, and the battery parts are IEC 62133 & RoHS-Compliant. For more safety precautions and performance standards, please go to [www.lipolbattery.com/support.html](http://www.lipolbattery.com/support.html)

Index		Alteration		Date	Name	
Projection:		Diese Mae werden besonders gepruft This dimensions are considered inspectable				
				Material 6645178 3352		
Mae in mm	Freimatoleranzen	Date	Name	<b>LiPol Battery</b>		
All dimensions in mm	Generaltoleranzen	Erst./ Orig	13.05.2020			Xie Qingfang
		Bearb./ Desig				
		Gepr./ Check	13.05.2020			Guo Daxia
Als Betriebsgeheimnis anvertraut, alle Rechte vorbehalten.	up to 6	0,1	Benennung/ Designation		Zchg. / Dwg. Nr.	
	over 6 up to 30	0,2	LP251328		3 FD_8455_70	
Proprietary data, company confidential, all rights reserved.	over 30 up to 100	0,3	Origin:		www.LiPolBattery.com	
	over 100	0,5			support@lipolbattery.com	